


Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently amended) ~~Oil-based suspension concentrates composed of~~ An oil-based suspension concentrate composition comprising

[[-]] at least one room-temperature-solid compound of the formula (I')



in which

V is oxygen or N-D,

X is halogen, alkyl, alkoxy, haloalkyl, haloalkoxy or cyano,

W, Y and Z independently of one another are hydrogen, halogen, alkyl, alkoxy, haloalkyl, haloalkoxy or cyano,

A is hydrogen, in each case optionally halogen-substituted alkyl, alkoxyalkyl, saturated, optionally substituted cycloalkyl, in which optionally at least one ring atom is replaced by a heteroatom,


B is hydrogen or alkyl,

A and B together with the carbon atom to which they are attached are a saturated or unsaturated, unsubstituted or substituted ring optionally including at least one heteroatom,

D is hydrogen or an optionally substituted ~~radical from the series~~ alkyl, alkenyl, alkoxyalkyl, or saturated cycloalkyl, in which optionally one or more ring members are replaced by heteroatoms, or

A and D together with the atoms to which they are attached are a saturated or unsaturated ring which optionally includes at least one heteroatom and is unsubstituted or substituted in the A,D moiety,

G is hydrogen (a) or is one of the groups



in which

E is a metal ion or an ammonium ion,

L is oxygen or sulphur,

M is oxygen or sulphur,

R¹ is in each case optionally halogen-substituted alkyl, alkenyl, alkoxyalkyl, alkylthioalkyl, polyalkoxyalkyl or optionally halogen-, alkyl- or alkoxy-substituted cycloalkyl which ~~may be~~ is optionally interrupted by at least one heteroatom, or in each case optionally substituted phenyl, phenylalkyl, ~~hetaryl~~ heteroaryl, phenoxyalkyl or hetaryloxyalkyl,


R² is in each case optionally halogen-substituted alkyl, alkenyl, alkoxyalkyl, polyalkoxyalkyl or is in each case optionally substituted cycloalkyl, phenyl or benzyl,

R³ is optionally halogen-substituted alkyl or optionally substituted phenyl,

R⁴ and R⁵ independently of one another are in each case optionally halogen-substituted alkyl, alkoxy, alkylamino, dialkylamino, alkylthio, alkenylthio, cycloalkylthio or are in each case optionally substituted phenyl, benzyl, phenoxy or phenylthio, and

R⁶ and R⁷ independently of one another are hydrogen, in each case optionally halogen-substituted alkyl, cycloalkyl, alkenyl, alkoxy, alkoxyalkyl, are optionally substituted phenyl, are optionally substituted benzyl or together with the nitrogen atom to which they are attached are an optionally oxygen- or sulphur-interrupted optionally substituted ring, and

[[-]] at least one penetrant that is an alkanol alkoxylate of the formula (Id)



in which

t stands for an average value from 9 to 10.5, and

u stands for an average value from 7 to 9,

[[-]] at least one vegetable oil,


[[-]] at least one nonionic surfactant and/or at least one anionic surfactant, and

[[-]] optionally one or more additives selected from the groups group consisting of the emulsifiers, foam inhibitors, preservatives, antioxidants, colorants and/or and inert filler materials.

2. (Currently amended) ~~Suspension concentrates~~ A composition according to Claim 1, ~~comprising compounds of the formula (I)~~ in which

V is oxygen or N-D,

- W is hydrogen, C₁-C₄-alkyl, C₁-C₄-alkoxy, chlorine, bromine or fluorine,
- X is C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkyl, fluorine, chlorine or bromine,
- Y and Z are independently of one another hydrogen, C₁-C₄-alkyl, halogen, C₁-C₄-alkoxy or C₁-C₄-haloalkyl,
- A is hydrogen or in each case optionally halogen-substituted C₁-C₆-alkyl or C₃-C₈-cycloalkyl,
- B is hydrogen, methyl or ethyl,
- A, B and the carbon atom to which they are attached are saturated C₃-C₆-cycloalkyl, in which optionally a ring member is replaced by oxygen or sulphur, and which is optionally mono- or disubstituted by C₁-C₄-alkyl, trifluoromethyl or C₁-C₄-alkoxy,
- D is hydrogen, in each case optionally fluorine- or chlorine-substituted C₁-C₆-alkyl, C₃-C₄-alkenyl or C₃-C₆-cycloalkyl,
- A and D are together in each case optionally methyl-substituted C₃-C₄-alkanedyl, in which optionally a methylene group is replaced by sulphur,
- G is hydrogen (a) or is one of the groups



in which

- E is a metal ion or an ammonium ion,
- L is oxygen or sulphur, and

- M is oxygen or sulphur,
- R¹ is in each case optionally halogen-substituted C₁-C₁₀-alkyl, C₂-C₁₀-alkenyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkylthio-C₁-C₄-alkyl or optionally fluorine-, chlorine-, C₁-C₄-alkyl- or C₁-C₂-alkoxy-substituted C₃-C₆-cycloalkyl,
- is optionally fluorine-, chlorine-, bromine-, cyano-, nitro-, C₁-C₄-alkyl-, C₁-C₄-alkoxy-, trifluoromethyl- or trifluoromethoxy-substituted phenyl,
- is in each case optionally chlorine- or methyl-substituted pyridyl or thienyl,
- R² is in each case optionally fluorine- or chlorine-substituted C₁-C₁₀-alkyl, C₂-C₁₀-alkenyl, or C₁-C₄-alkoxy-C₂-C₄-alkyl,
- is optionally methyl- or methoxy-substituted C₅-C₆-cycloalkyl or
- is in each case optionally fluorine-, chlorine-, bromine-, cyano-, nitro-, C₁-C₄-alkyl-, C₁-C₄-alkoxy-, trifluoromethyl- or trifluoromethoxy-substituted phenyl or benzyl,
- R³ is optionally fluorine-substituted C₁-C₄-alkyl or is optionally fluorine-, chlorine-, bromine-, C₁-C₄-alkyl, C₁-C₄-alkoxy, trifluoromethyl-, trifluoromethoxy-, cyano- or nitro-substituted phenyl,
- R⁴ is in each case optionally fluorine- or chlorine-substituted C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-alkylamino, C₁-C₄-alkylthio or is in each case optionally fluorine-, chlorine-, bromine-, nitro-, cyano-, C₁-C₄-alkoxy-, trifluoromethoxy-, C₁-C₄-alkylthio-, C₁-C₄-haloalkylthio-, C₁-C₄-alkyl- or trifluoromethyl-substituted phenyl, phenoxy or phenylthio,
- R⁵ is C₁-C₄-alkoxy or C₁-C₄-thioalkyl,
- R⁶ is C₁-C₆-alkyl, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₃-C₆-alkenyl, or C₁-C₄-alkoxy-C₁-C₄-alkyl,

R⁷ is C₁-C₆-alkyl, C₃-C₆-alkenyl or C₁-C₄-alkoxy-C₁-C₄-alkyl,

R⁶ and R⁷ together are an optionally methyl- or ethyl-substituted C₃-C₆-alkylene radical, in which optionally a carbon atom is replaced by oxygen or sulphur.

3. (Currently amended) ~~Suspension concentrates~~ A composition according to Claim 1, ~~comprising compounds of the formula (I'),~~ in which

V is oxygen or N-D,

W is hydrogen, methyl, ethyl, chlorine, bromine or methoxy,

X is chlorine, bromine, methyl, ethyl, propyl, isopropyl, methoxy, ethoxy or trifluoromethyl,

Y and Z are independently of one another hydrogen, fluorine, chlorine, bromine, methyl, ethyl, propyl, isopropyl, trifluoromethyl or methoxy,

A is methyl, ethyl, propyl, isopropyl, butyl, isobutyl, sec-butyl, tert-butyl, cyclopropyl, cyclopentyl or cyclohexyl,


B is hydrogen, methyl or ethyl,

A, B and the carbon atom to which they are attached are saturated C₆-cycloalkyl, in which optionally a ring member is replaced by oxygen, and which is optionally monosubstituted by methyl, ethyl, trifluoromethyl, methoxy, ethoxy, propoxy or butoxy,

D is hydrogen, is methyl, ethyl, propyl, isopropyl, butyl, isobutyl, allyl, cyclopropyl, cyclopentyl or cyclohexyl,

A and D are together optionally methyl-substituted C₃-C₄-alkanediyl,

G is hydrogen (a) or is one of the groups



in which

M is oxygen or sulphur,

R¹ is C₁-C₈-alkyl, C₂-C₄-alkenyl, methoxymethyl, ethoxymethyl, ethylthiomethyl, cyclopropyl, cyclopentyl or cyclohexyl,

is optionally fluorine-, chlorine-, bromine-, cyano-, nitro-, methyl-, ethyl-, methoxy-, trifluoromethyl- or trifluoromethoxy-substituted phenyl,

is in each case optionally chlorine- or methyl-substituted pyridyl or thienyl,

R² is C₁-C₈-alkyl, C₂-C₄-alkenyl, methoxyethyl, ethoxyethyl or is phenyl or benzyl,

R⁶ and R⁷ are independently of one another methyl, ethyl or together are a C₅-alkylene radical in which the C₃-methylene group is replaced by oxygen.

4. (Currently amended) ~~Suspension concentrates~~ A composition according to Claim 1, comprising compounds of the formula (I') in which

V is N-D,

W is hydrogen or methyl,

X is chlorine, bromine or methyl,


Y and Z are independently of one another hydrogen, chlorine, bromine or methyl,

A, B and the carbon atom to which they are attached are saturated C₆-cycloalkyl, in which optionally a ring member is replaced by oxygen, and which is

optionally monosubstituted by methyl, trifluoromethyl, methoxy, ethoxy, propoxy or butoxy,

D is hydrogen,

G is hydrogen (a) or is one of the groups



in which

M is oxygen or sulphur,

R¹ is C₁-C₈-alkyl, C₂-C₄-alkenyl, methoxymethyl, ethoxymethyl, ethylmethylthio, cyclopropyl, cyclopentyl, or cyclohexyl or

is optionally fluorine-, chlorine-, bromine-, methyl-, methoxy-, trifluoromethyl-, trifluoromethoxy-, cyano- or nitro-substituted phenyl,

is in each case optionally chlorine- or methyl-substituted pyridyl or thienyl,


R² is C₁-C₈-alkyl, C₂-C₄-alkenyl, methoxyethyl, ethoxyethyl, phenyl or benzyl,

R⁶ and R⁷ are independently of one another methyl, ethyl or together are a C₅-alkylene radical, in which the C₃-methylene group is replaced by oxygen.

5. (Currently amended) ~~Suspension concentrates~~ A composition according to Claim 1, ~~comprising compounds of the formula (I') in which~~

V is N-H, and

A and B together with the carbon atom to which they are attached are a substituted six-membered ring




and the substituents W, X, Y, Z, G and R have the definitions indicated in the table

| W | X | Y | Z | R | G |
|-----------------|-----------------|-------------------|-------------------|--------------------------------|--|
| H | Br | 5-CH ₃ | H | OCH ₃ | CO-i-C ₃ H ₇ |
| H | Br | 5-CH ₃ | H | OCH ₃ | CO ₂ -C ₂ H ₅ |
| H | CH ₃ | 5-CH ₃ | H | OCH ₃ | H |
| H | CH ₃ | 5-CH ₃ | H | OCH ₃ | CO ₂ -C ₂ H ₅ |
| CH ₃ | CH ₃ | 3-Br | H | OCH ₃ | H |
| CH ₃ | CH ₃ | 3-Cl | H | OCH ₃ | H |
| H | Br | 4-CH ₃ | 5-CH ₃ | OCH ₃ | CO-i-C ₃ H ₇ |
| H | CH ₃ | 4-Cl | 5-CH ₃ | OCH ₃ | CO ₂ -C ₂ H ₅ |
| CH ₃ | CH ₃ | 3-CH ₃ | 4-CH ₃ | OCH ₃ | H |
| CH ₃ | CH ₃ | 3-Br | H | OC ₂ H ₅ | CO-i-C ₃ H ₇ |
| H | CH ₃ | 4-CH ₃ | 5-CH ₃ | OC ₂ H ₅ | CO-n-C ₃ H ₇ |
| H | CH ₃ | 4-CH ₃ | 5-CH ₃ | OC ₂ H ₅ | CO-i-C ₃ H ₇ |
| H | CH ₃ | 4-CH ₃ | 5-CH ₃ | OC ₂ H ₅ | CO-c-C ₃ H ₅ |

6. (Withdrawn-currently amended) ~~Process A~~ process for producing ~~suspension concentrates~~ a composition according to Claim 1, ~~characterized in that~~ comprising mixing

[[-]] at least one room-temperature-solid compound of the formula (I'),

[[-]] at least one penetrant that is an alkanol alkoxylate of the formula (Id)



in which

t stands for an average value from 9 to 10.5, and

u stands for an average value from 7 to 9,

[[-]] at least one vegetable oil,

[[-]] at least one nonionic surfactant and/or at least one anionic surfactant, and

[[-]] optionally one or more additives selected from the ~~groups~~ group consisting of the emulsifiers, foam inhibitors, preservatives, antioxidants, colorants and/or inert filler materials,

and optionally grounding the resultant suspension.

~~are mixed with one another and the resultant suspension is optionally subsequently ground.~~

7. (Cancelled)

8. (Currently amended) ~~Suspension concentrates~~ A composition according to Claim [[7]] 1, ~~characterized by the presence as comprising said penetrant of at least one alcohol alkoxylate of the formula (Id) in which~~

t stands for ~~the~~ average value 10.5 and

u stands for ~~the~~ average value 8.4.

9. (Currently amended) ~~Suspension concentrates~~ A composition according to Claim 1, ~~characterized in that the amount wherein~~

[[-]] ~~of~~ said compound of the formula (I') is between 5% and 30% by weight,

[[-]] ~~of~~ said penetrant ~~penetrants~~ is between 5% and 30% by weight,

[[-]] ~~of~~ said vegetable oil is between 20% and 55% by weight,

[[-]] ~~of~~ said surfactant ~~surfactants~~ is between 2.5% and 30% by weight, and

[[-]] ~~of~~ said additive ~~additives~~ is between 0% and 25% by weight.

10. (Withdrawn-currently amended) ~~Use~~ A method of using a composition suspension concentrates according to Claim 1, comprising applying ~~the compounds of the formula (I) comprised~~ said composition to plants and/or their habitat.
11. (Withdrawn-currently amended) ~~Use of~~ A method of controlling insects, comprising contacting said insects or their habitat with a composition suspension concentrates according to Claim 1, ~~for controlling insects.~~
12. (Currently amended) ~~Compositions characterized by the presence therein of a suspension concentrate according to Claim 1 and~~ A composition according to Claim 1, further comprising extenders and/or surface-active reagents.